

- Title** Sippy Cup
- Agency** MaHTAS, Health Technology Assessment Section, Medical Development Division, Ministry of Health Malaysia , Level 4, Block E1, Parcel E, Presint 1, Federal Government Administrative Center, 62590 Putrajaya, Malaysia
Tel: +603 88831229, Fax: +603 88831230; htamalaysia@moh.gov.my
- Reference** Technology Review Report 018/2012, online:
http://www.moh.gov.my/index.php/database_stores/store_view_page/30/193

Aim

To assess the adverse events of Sippy Cup use among infants in relation to milk aspiration and oral development such as tooth decay, protruding teeth and speech delay.

Conclusions and results

There was no retrievable evidence on the adverse events related to the use of Sippy Cup among infants in term of milk aspiration and oral development such as tooth decay, protruding teeth and speech delay. Based on the above review, the risks of using Sippy Cup among infants cannot be ascertained. More clinical research is recommended.

Methods

Literature search was done to search for published articles to assess the safety, efficacy or effectiveness and cost-effectiveness of Sippy Cup. The following electronic databases were search: MEDLINE (1948 to 26 September 2012), EBM Reviews-Cochrane Database of Systematic Reviews (2005 until December 2012), EBM Reviews-Cochrane Central Register of Controlled Trials (3rd Quarter 2012), EBM Reviews-Database of Abstracts of Review of Effects (3rd Quarter 2012), EBM Reviews-Health Technology Assessment (3th Quarter 2012) NHS economic evaluation database (3th Quarter 2012) via OVID, Pudmed, INAHTA database, HTA database and USFDA

Written by

Noor Aishah Y, MaHTAS, Malaysia